

Clips – Bags of 100
LF x .75

Screws – Boxes of 400
Decking Face Screw: LF x 1.5
Porch Flooring: LF x .75

**Screws - Boxes of 400 Clear Stainless,
500 Black Stainless**
Cladding: LF x .75

◉ Benchmark Ash

SIZE	LF		CONVERSION	TOTAL SF	LBS/SF
1x4 Porch Flooring		÷	3.43 =		2.74
1x4		÷	3.25 =		2.60
1x6 Standard		÷	2.31 =		2.59
1x6 Max		÷	2.03 =		2.74
5/4 x 4		÷	3.43 =		3.19
5/4 x 5		÷	2.67 =		3.47
5/4 x 6		÷	2.35 =		3.47
5/4 x 6 Max		÷	2.1 =		3.57

SIZE	SF		CONVERSION	TOTAL LF	LBS/LF
1x4 Porch Flooring		x	3.43 =		0.8
1x4		x	3.25 =		0.8
1x6 Standard		x	2.31 =		1.12
1x6 Max		x	2.03 =		1.35
5/4 x 4		x	3.43 =		0.93
5/4 x 5		x	2.67 =		1.30
5/4 x 6		x	2.35 =		1.48
5/4 x 6 Max		x	2.1 =		1.7

◉ Benchmark Pine/ Kodiak

SIZE	LF		CONVERSION	TOTAL SF	LBS/SF
5/4 x 5 Porch Flooring		x	2.67 =		2.14
5/4 x 6		x	2.18 =		2.55
5/4 x 8		x	1.64 =		2.54

SIZE	SF		CONVERSION	TOTAL LF	LBS/LF
5/4 x 5 Porch Flooring		x	2.67 =		0.8
5/4 x 6		x	2.18 =		1.17
5/4 x 8		x	1.64 =		1.55

◉ Benchmark Ash

Calculations

Conversion Charts

SIZE	LF		CONVERSION		TOTAL SF	LBS/SF
1x4 T&G		÷	3.43	=		2.74
1x4 C20		÷	3.43	=		2.74
1x5 T&G		÷	2.86	=		2.49
1x6 C20		÷	2.14	=		2.80
1x6 C23J		÷	2.14	=		2.36
1x6 T&G		÷	2.03	=		2.74
1x8		÷	1.6	=		2.74

SIZE	SF		CONVERSION		TOTAL LF	LBS/LF
1x4 T&G		X	3.43	=		0.8
1x4 C20		X	3.43	=		0.8
1x5 T&G		X	2.86	=		0.87
1x6 C20		X	2.14	=		1.31
1x6 C23J		X	2.14	=		1.10
1x6 T&G		X	2.03	=		1.35
1x8		X	1.6	=		1.71

◉ Benchmark Pine

SIZE	LF		CONVERSION		TOTAL SF	LBS/SF
1x3 C7J		÷	4.7	=		1.5
1x6 C19		÷	2.31	=		1.80
1x6 C4		÷	2.18	=		1.74

SIZE	LF		CONVERSION		TOTAL LF	LBS/SF
1x3 C7J		X	4.7	=		.32
1x6 C19		X	2.31	=		0.78
1x6 C4		X	2.18	=		0.8

◉ Spruce

SIZE	LF		CONVERSION		TOTAL SF	LBS/SF
1x6 Ignite		÷	2.3	=		1.84
1x8		÷	1.74	=		1.91
1x9		÷	1.52	=		1.90

SIZE	SF		CONVERSION		TOTAL LF	LBS/LF
1x6 Ignite		X	2.3	=		0.8
1x8		X	1.74	=		1.1
1x9		X	1.52	=		1.25

