

SAUNA^o

by THERMORY[®]

Sauna Product Options

A comprehensive list of all Thermory Sauna Products



Walls, Benches, Ceiling: Thermo-Radiata Pine
Photo: Elvo Jakobson
Private home, Estonia



DIY SAUNA KITS

SPECIES:

Ash
Spruce


USE:

Interior
Exterior





Natural Barrel Sauna No60
Photo: ThisLife, Bela Fishbeyn
Fairview, North Carolina

Natural Barrel Sauna No60
Photo: ThisLife, Bela Fishbeyn
Fairview, North Carolina

NATURAL BARREL



	MODEL	OCCUPANCY	TOTAL LENGTH	OUTSIDE DIAMETER	INSIDE DIAMETER	BENCH L x W	WINDOW SIZE	PORCH LENGTH	WALL/BOARD THICKNESS	VOLUME
	Nº60 - Nº61	4	7.33'	7.52'	7.25'	5' x 2.08'	Nº60 7' x 3.5' Nº61 No Window	1.58'	1.57"	212 CU. FT.
	Nº62 - Nº63	6	7.33'	7.52'	7.25'	6.5' x 2.08	Nº62 7' x 3.5' Nº63 No Window	No Porch	1.57"	265 CU. FT.
	Nº50 - Nº51	6	7.33'	6.29'	6.06'	6.38' x 1.63'	Nº50 5.83' x 3' Nº51 No Window	No Porch	1.57"	199.5 CU. FT.
	Nº52 - Nº53	4	5.9'	6.29'	6.06'	4.95' x 1.63'	Nº52 5.83' x 3' Nº53 No Window	No Porch	1.57"	154.3 CU. FT.
	Nº54 - Nº55	2	4.88'	6.29'	6.06'	3.94' x 1.63'	Nº54 5.83' x 3' Nº55 No Window	No Porch	1.57"	124.3 CU. FT.

IGNITE BARREL

	MODEL	OCCUPANCY	WINDOW	TOTAL LENGTH		OUTSIDE DIAMETER	INSIDE DIAMETER	BENCH L x W	WINDOW SIZE	PORCH LENGTH	WALL/BOARD THICKNESS	VOLUME
	N°60	4	Window	7.33'		7.52'	7.25'	5' x 2.08'	7' x 3.5'	1.58'	1.57"	212 CU. FT.
	N°62	6	Window	7.33'		7.52'	7.25'	6.5' x 2.08'	7' x 3.5'	No Porch	1.57"	265 CU. FT.
	N°52	4	Window	5.9'		6.29'	6.06'	4.95' x 1.63'	5.83' x 3'	No Porch	1.57"	154.3 CU. FT.
	N°54	2	Window	4.88'		6.29'	6.06'	3.94' x 1.63'	5.83' x 3'	No Porch	1.57"	124.3 CU. FT.

SAUNA SQUARES

	MODEL	OCCUPANCY	TOTAL LENGTH		TOTAL WIDTH	TOTAL HEIGHT	BACK BENCH SIDE BENCH L x W	WINDOW SIZE	PORCH LENGTH	WALL/BOARD THICKNESS	VOLUME
	N°40 - N°41	6	8.24'		6.9'	7.21'	Back 6.5' x 1.61' Side 4.3' x 1.61'	N°40 6.3' X 3.2' N°41 No Window	1.61'	1.57"	241 CU. FT.
	N°42 - N°43	4	6.93'		6.9'	7.28'	Back 6.5' x 1.61' Side 2.9' x 1.61'	N°42 6.3' X 3.2' N°43 No Window	1.61'	1.57"	191 CU. FT.
	N°45	1-2	4.63'		4.4'	7.28'	Back 3.9' x 1.67' Side 2.0' x 0.9'	No Window	No Porch	1.57"	98 CU. FT.





















LUIK SERIES

LUIK SERIES			MODEL	OCCUPANCY	WINDOW	TOTAL LENGTH		INTERIOR HEIGHT	TOTAL HEIGHT	BENCHES L x W	EXTERIOR	INTERIOR	WALL THICKNESS	VOLUME
			LUIK - BENCHMARK ASH	4-6	Front Window	7.34'		6.46'	7.96'	6.35' x 2.11'	Benchmark Ash 5/4x4 C72 (Oiled)	Thermo-Aspen	5.59"	260 CU. FT.
			LUIK - KODIAK SPRUCE	4-6	Front Window	7.34'		6.46'	7.96'	6.35' x 2.11'	Kodiak Spruce 5/4x7 C75 (Oiled)	Natural Alder & Benchmark Pine	5.59"	260 CU. FT.



MOD SERIES

POWERED BY SUPERIOR SAUNA

MOD SERIES			MODEL	OCCUPANCY	WINDOW	TOTAL LENGTH		TOTAL WIDTH	TOTAL HEIGHT	EXTERIOR	INTERIOR	BENCH	CEILING	DOOR
			MOD6 MODERN - SOCIAL	6-8	Corner Windows	8.25'		6.25'	8.04'	Ignite Spruce 1 x 6 C24 Brushed	Thermo-Alder 1 x 4 STS4	Thermo-Alder 5/4x4 SHP	Thermo-Spruce 1 x 4 STS4 Brushed Black	<ul style="list-style-type: none"> • Thermo-Pine • Black Hardware • Clear Glass
			MOD6 MODERN - ATHLETIC	6-8	Side Windows	8.25'		6.25'	8.04'	Ignite Spruce 1 x 6 C24 Brushed	Thermo-Alder 1 x 4 STS4	Thermo-Alder 5/4x4 SHP	Thermo-Spruce 1 x 4 STS4 Brushed Black	<ul style="list-style-type: none"> • Thermo-Pine • Black Hardware • Clear Glass
			MOD6 TRADITIONAL - SOCIAL	6-8	Corner Windows	8.25'		6.25'	8.04'	Kodiak Spruce 1 x 8 C15	Thermo-Spruce 1 x 4 STS4	Thermo-Spruce 5/4x4 SHP	Thermo-Spruce 1 x 4 STS4 Brushed Black	<ul style="list-style-type: none"> • Thermo-Pine • Black Hardware • Clear Glass
			MOD6 TRADITIONAL - ATHLETIC	6-8	Side Windows	8.25'		6.25'	8.04'	Kodiak Spruce 1 x 8 C15	Thermo-Spruce 1 x 4 STS4	Thermo-Spruce 5/4x4 SHP	Thermo-Spruce 1 x 4 STS4 Brushed Black	<ul style="list-style-type: none"> • Thermo-Pine • Black Hardware • Clear Glass
			MOD4 MODERN - SOCIAL	4-6	Corner Windows	5.6'		6.5'	8.04'	Ignite Spruce 1 x 6 C24 Brushed	Thermo-Alder 1 x 4 STS4	Thermo-Alder 5/4x4 SHP	Thermo-Spruce 1 x 4 STS4 Brushed Black	<ul style="list-style-type: none"> • Thermo-Pine • Black Hardware • Clear Glass
			MOD4 TRADITIONAL - SOCIAL	4-6	Corner Windows	5.6'		6.5'	8.04'	Kodiak Spruce 1 x 8 C15	Thermo-Spruce 1 x 4 STS4	Thermo-Spruce 5/4x4 SHP	Thermo-Spruce 1 x 4 STS4 Brushed Black	<ul style="list-style-type: none"> • Thermo-Pine • Black Hardware • Clear Glass

* Optional Floorkit available for Mod6 Models.

SAUNA KIT ADD-ONS

	TYPE	APPLICABLE MODELS	MATERIAL	HEATER
	FULL PANORAMIC WINDOW	No61, No63, No51, No53, No55	Spruce Frame	Homecraft Revive
	TWO TIERED BENCH	No60, No61, No62, No63,	Thermo-Aspen	HUUM Drop Homecraft Revive Slim / Revive
	JUNIPER LOWER PANEL BARRELS	No60, No62, No50, No52, No54	Juniper	Standard Heater per Model
	JUNIPER UPPER PANEL BARRELS	No61, No63, No51, No53, No55	Juniper	Standard Heater per Model
	JUNIPER UPPER PANEL SQUARES	No41, No43, No45	Juniper	Standard Heater per Model



Full Panoramic Window

Discover how you can personalize your sauna with mix-and-match add-ons—just ask your salesperson.



Natural Barrel Sauna No60
Photo: ThisLife, Bela Fishbeyn
Fairview, North Carolina



Mod 6 Traditional Social



Mod 6 Traditional Social

SAUNA MATERIALS







SPECIES: USE:

Natural Alder Interior
 Natural Aspen
 Medium Alder
 Medium Aspen
 Medium Magnolia
 Intense Alder
 Intense Spruce





Walls & Benches, Medium Aspen
 Photo: Elvo Jakobson
 Private Home, Estonia

SAUNA[®]
 MATERIALS by THERMORY[®]

Wall Paneling

PRODUCT	SPECIES	DIMENSIONS	COVERAGE	LENGTHS	MODIFICATION STRENGTH	TEXTURE	INSTALLATION
 5/4 X 3 NATURAL ALDER STEP	Alder	1.06" x 2.5"	2.2"	6' - 10'	None	Smooth	Staple
 1 X 5 NATURAL ALDER STS4	Alder	.59" x 4.7"	4.4"	6' - 10'	None	Smooth	Staple
 1 X 4 NATURAL ALDER STS4	Alder	.59" x 3.5"	3.2"	6' - 10'	None	Smooth	Staple
 1 X 5 NATURAL ALDER STS4 BRUSHED & WAXED BLACK	Alder	.59" x 4.7"	4.4"	6' - 10'	None	Brushed	Staple
 1 X 5 NATURAL ASPEN STS4	Aspen	.59" x 4.7"	4.4"	6' - 10'	None	Smooth	Staple
 1 X 5 ALDER STS4	Alder	.59" x 4.7"	4.4"	6' - 10'	Medium	Smooth	Staple

PRODUCT	SPECIES	DIMENSIONS	COVERAGE	LENGTHS	MODIFICATION STRENGTH	TEXTURE	INSTALLATION
 5/4 X 3 ASPEN STEP	Aspen	1.06" x 2.5"	2.2"	6' - 10'	Medium	Smooth	Staple
 1 X 4 ASPEN STS4	Aspen	.59" x 3.5"	3.2"	6' - 10'	Medium	Smooth	Staple
 1 X 5 ASPEN STS4	Aspen	.59" x 4.7"	4.4"	6' - 10'	Medium	Smooth	Staple
 1 X 4 ASPEN KYTE	Aspen	.59" x 3.4"	3.1"	6' - 10'	Medium	Smooth	Staple
 1 X 4 ASPEN VIRE	Aspen	.59" x 3.5"	3.1"	6' - 10'	Medium	Smooth	Staple
 5/4 X 3 ASPEN WAVE	Aspen	1.1" x 2.6"	2.2"	6' - 10'	Medium	Smooth	Staple
 *SPECIAL ORDER* 1 X 4 ASPEN STF TILES	Aspen	.59" x 3.2"	3.0"	11.50" or 22.75"	Medium	Smooth	Staple
 *SPECIAL ORDER* 1 X 4 ASPEN SRP	Aspen	.59" x 3.1"	2.8"	6' - 10'	Medium	Smooth	Staple
 1 X 6 MAGNOLIA STS10	Magnolia	.56" x 5.7"	5.4"	6' - 10'	Medium	Smooth	Staple
 1 X 7 MAGNOLIA STS10	Magnolia	.56" x 6.7"	6.4"	6' - 10'	Medium	Smooth	Staple

PRODUCT	SPECIES	DIMENSIONS	COVERAGE	LENGTHS	MODIFICATION STRENGTH	TEXTURE	INSTALLATION
 1 X 4 ALDER STS4	Alder	.59" x 3.3"	3.0"	6' - 10'	Intense	Smooth	Staple
 1 X 5 ALDER STS4	Alder	.59" x 4.7"	4.4"	6' - 10'	Intense	Smooth	Staple
 1 X 4 SPRUCE STS4	Spruce	.59" x 3.5"	3.2"	6' - 10'	Intense	Smooth	Staple
 1 X 4 SPRUCE STS4 BRUSHED & WAXED	Spruce	.59" x 3.5"	3.2"	6' - 10'	Intense	Brushed	Staple

SAUNA[®]

MATERIALS by THERMORY[®]

Bench Boards

PRODUCT	SPECIES	DIMENSIONS	COVERAGE	LENGTHS	MODIFICATION STRENGTH	TEXTURE	INSTALLATION
 1 X 4 NATURAL ALDER SHP	Alder	.83" x 3.5"	3.5"	6' - 10'	None	Smooth	40mm FG Screws
 5/4 X 4 NATURAL ALDER SHP	Alder	1.1" x 3.5"	3.5"	6' - 10'	None	Smooth	40mm FG Screws
 5/4 X 4 NATURAL ASPEN SHP	Aspen	1.1" x 3.5"	3.5"	6' - 10'	None	Smooth	40mm FG Screws
 1 X 4 ALDER SHP	Alder	.83" x 3.5"	3.5"	6' - 10'	Medium	Smooth	40mm FG Screws
 5/4 X 4 ALDER SHP	Alder	1.1" x 3.5"	3.5"	6' - 10'	Medium	Smooth	40mm FG Screws
 1 X 4 ASPEN SHP	Aspen	.83" x 3.5"	3.5"	6' - 10'	Medium	Smooth	40mm FG Screws
 5/4 X 4 ASPEN SHP	Aspen	1.1" x 3.5"	3.5"	6' - 10'	Medium	Smooth	40mm FG Screws
 5/4 X 8 MAGNOLIA SHP	Magnolia	1.1" x 7.3"	7.3"	6' - 10'	Medium	Smooth	40mm FG Screws
 5/4 X 4 ALDER SHP	Alder	1.1" x 3.5"	3.5"	6' - 10'	Intense	Smooth	40mm FG Screws
 5/4 X 4 SPRUCE SHP	Spruce	1.01" x 3.5"	3.5"	6' - 10'	Intense	Smooth	40mm FG Screws



Walls, Bench, Ceiling: Intense Alder
 Photo: Elvo Jakobson
 Private Home, Estonia

READY-MADE ELEMENTS

SPECIES:

Natural Alder
Medium Aspen







USE:












Interior







Bench & Backrest: Alder
Photo: Allan Lepikson
Private Home, Estonia.

SAUNA^o
MATERIALS by THERMORY®

Sauna Elements

PRODUCT	SPECIES	THICKNESS / HEIGHT	WIDTH	LENGTH	MODIFICATION STRENGTH	TEXTURE	INSTALLATION
 NATURAL ALDER BENCH MODULE	Alder	Height - 5.5	19.7" - 23.6"	63" - 94.5"	None	Smooth	Screw
 ASPEN BENCH MODULE	Aspen	Height - 5.5	19.7" - 23.6"	63" - 94.5"	Medium	Smooth	Screw
 NATURAL ALDER CORNER BENCH MODULE	Alder	Height - 5.5	19.7" - 23.6"	19.7" - 23.6"	None	Smooth	Screw
 ASPEN CORNER BENCH MODULE	Aspen	Height - 5.5	19.7" - 23.6"	19.7" - 23.6"	Medium	Smooth	Screw
 NATURAL ALDER BACKREST	Alder	Thickness - 1.1	11.8"	80.7"	None	Smooth	Screw
 ASPEN BACKREST	Aspen	Thickness - 1.1	11.8"	80.7"	Medium	Smooth	Screw

PRODUCT	SPECIES	THICKNESS / HEIGHT	WIDTH	LENGTH	MODIFICATION STRENGTH	TEXTURE	INSTALLATION
 NATURAL ALDER BENCH SKIRT	Alder	Thickness - 0.55	11.8"	94.5"	None	Smooth	Screw
 ASPEN BENCH SKIRT	Alder	Thickness - 0.55	11.8"	94.5"	Medium	Smooth	Screw
 ASPEN FLOORGRID	Aspen	Thickness - 0.55	31.5"	35.4"	Medium	Smooth	Screw
 NATURAL ALDER ADJUSTABLE VENTILATION GRILLE	Alder	-	5.2"	11.1"	None	Smooth	Screw
 NATURAL ASPEN ADJUSTABLE VENTILATION GRILLE	Aspen	-	5.2"	11.1"	None	Smooth	Screw
 ASPEN ADJUSTABLE VENTILATION GRILLE	Aspen	-	5.2"	11.1"	Medium	Smooth	Screw
 NATURAL ALDER VENTILATION FIXED GRILLE	Alder	-	5.9"	7.5"	None	Smooth	Screw
 NATURAL ASPEN VENTILATION FIXED GRILLE	Aspen	-	5.9"	7.5"	None	Smooth	Screw
 ASPEN VENTILATION FIXED GRILLE	Aspen	-	5.9"	7.5"	Medium	Smooth	Screw
 ASPEN MOVEABLE BENCH	Aspen	Thickness - 0.55	15.7"	27.6"	Medium	Smooth	-
 ASPEN HEADREST	Aspen	Thickness - 3.8"	11"	13.2"	Medium	Smooth	-

PRODUCT	SPECIES	DIMENSIONS	COVERAGE	LENGTHS	MODIFICATION STRENGTH	TEXTURE	INSTALLATION	
	1 X 1.5 NATURAL ALDER T	Alder	.67" x 1.26"	-	6' - 10'	None	Smooth	Nail
	1 X 1 NATURAL ALDER SI	Alder	.59" x .71"	-	6' - 10'	None	Smooth	Nail
	1 X 1 NATURAL ALDER SHP	Alder	.83" x .83"	-	6' - 10'	None	Smooth	Nail
	1 X 1.5 ASPEN T	Aspen	.67" x 1.26"	-	6' - 10'	Medium	Smooth	Nail
	1 X 1 ASPEN SI	Aspen	.59" x .71"	-	6' - 10'	Medium	Smooth	Nail
	1 X 1 ASPEN SHP	Aspen	.83" x .83"	-	6' - 10'	Medium	Smooth	Nail






SAUNA DOORS & WINDOWS


SPECIES:
Medium Aspen

USE:
Interior

Walls: Medium Aspen, Kytte
Benches: Medium Aspen

Sauna Doors & Windows

PRODUCT	SPECIES	USE	THICKNESS X WIDTH	HEIGHT	MODIFICATION STRENGTH	GLASS COLOR	HARDWARE	
	ASPEN PREMIUM DOOR	Aspen	Interior Sauna	3.6" x 27.2"	74.4" - 78.3"	Medium	Clear	Silver
	ASPEN BLACK PREMIUM DOOR	Aspen	Interior Sauna	3.6" x 27.2"	74.4" - 78.3"	Medium	Gray	Black
	PINE PREMIUM DOOR	Pine	Exterior Interior Sauna	3.6" x 27.2"	74.4" - 78.3"	Intense	Gray	Black
	2 X 6 ASPEN BLACK WINDOW	Aspen	Interior Sauna	3.6" x 19.3"	74.4"	Medium	Gray	Screw
	2 X 3 ASPEN BLACK WINDOW	Aspen	Interior Sauna	3.6" x 19.3"	35.0"	Medium	Gray	Screw



Walls: Thermo-Aspen SRP & Natural Aspen STP
Benches: Natural Aspen
Photo: Elvo Jakobson

HEATERS















Homecraft Revive Heater

ACCESSORIES & CARE PRODUCTS



Natural Barrel Sauna No62
Photo: Molly Milroy
Asheville, North Carolina

MODEL		WATTAGE	DIMENSIONS W X D X H	OPTIMUM ROOM SIZE	FUSE	SAUNA CONTROL	THERMORY COMPATIBLE MODELS	MOUNT
	HUUM DROP 4	4.5 Kw	15.35" x 13.2" x 23.3"	106 - 248 ft ³	30 Amp	UKU Sauna Control Panel Classic - Wifi	No54, No55	Wall
	HUUM DROP 6	6 Kw		177 - 318 ft ³				
	HUUM DROP 7	7.5 Kw		248 - 389 ft ³	40 Amp		No 60, No61, No50, No51	
	HUUM DROP 9	9 Kw		283 - 460 ft ³	50 Amp		No62, No63	
	HUUM HIVE MINI WITH AIRUNNEL	11 Kw	18.1" x 18.1" x 29.6"	354 - 566 ft ³	50 Amp	UKU Sauna Control Panel Classic - Wifi	No40, No41	Floor
	HEMOCRAFT REVIVE SLIM	5 Kw	13" x 7.5" x 36"	100 - 250 Cu Ft	30 Amp	Tke2-2 Indoor/ Outdoor	No45, No54, No55	Wall
		6 Kw		200 - 300 Cu Ft	40 Amp		No42, No43, No50, No51, No52, No53, No60, No61	
	HEMOCRAFT REVIVE	9 Kw	14" x 14" x 36"	325 - 450 Cu Ft	50 Amp	Tke2-2 Indoor/ Outdoor	No40, No41, No62, No63	Floor

PRODUCT	NAME	TYPE	USE
	HALU B.V. HEADREST	Natural Aspen	Sauna Headrest
	HALU B.V. BACKREST	Natural Aspen	Sauna Backrest
	HUUM SAUNA STONES	Olivine Diabase Rocks	HUUM Drop & Hive Mini Heaters
	ACCESORIES PACK	Bucket, Ladle, Sand Timer, Temperature Gauge	Adding Water, Temperature, Timing
	SUPI SAUNAVAHA SAUNA WAX	Clear Wax	Sauna Benches, Paneled Walls And Ceilings, Doors & Window Frames.
	SUPI SAUNAVAHA SAUNA WAX	Black Wax	Sauna Benches, Paneled Walls And Ceilings, Doors & Window Frames.
	SUPI SAUNAVAHA SAUNA CLEANER	Sauna Cleaning Detergent	For Saunas & Other Wet Rooms
	SAUNAPALLO SAUNABALL	Black Mat, Brushed Metal, Shiny Steel	Evenly distribute water onto rocks.

Heat. Steam. Cool. Done.

Thermal modification is a chemical-free process that gives you the beauty of real wood, naturally enhanced with only heat and steam for unequaled strength and stability—even in changing weather conditions. And, with greater insulating properties compared to unmodified wood, our wood is never too hot on your feet.

The right wood. The right way.

We source all our wood using responsible forestry practices, never laying a finger on our tropical woodlands and rainforests. And wood is the only naturally renewable building material that doesn't generate hazardous waste. So, when you choose Thermory, you're not just investing in quality, but in the health of our planet too.



The mark of responsible forestry



Thermory USA - Buffalo

29 Liberty St, Suite 205
Batavia, NY 14020
585-591-6590

Support@ThermoryUSA.com
SaunaHelp@ThermoryUSA.com

Last updated: April 2026
All previous versions are null and void.

→ Sauna.ThermoryUSA.com



THERMORY
LEAVE A LASTING IMPACT