

Sauna Product Options

A comprehensive list of all Thermory Sauna Products





DIY SAUNA KITS

SPECIES:

Ash
Spruce

USE:

Interior
Exterior

Natural Barrel Sauna No60
Photo: ThisLife, Bela Fishbeyn
Fairview, North Carolina






Natural Barrel Sauna No60
Photo: ThisLife, Bela Fishbeyn
Fairview, North Carolina

NATURAL BARREL

				MODEL	OCCUPANCY	TOTAL LENGTH		OUTSIDE DIAMETER	INSIDE DIAMETER	BENCH L x W	WINDOW SIZE	PORCH LENGTH	WALL/BOARD THICKNESS	VOLUME
				Nº60	4	7.33'		7.52'	7.25'	5' x 2.08'	Nº60 7' x 3.5' Nº61 No Window	1.58'	1.57"	212 CU. FT.
				Nº62 - Nº63	6	7.33'		7.52'	7.25'	6.5' x 2.08	Nº62 7' x 3.5' Nº63 No Window	No Porch	1.57"	265 CU. FT.
				Nº50 - Nº51	6	7.33'		6.29'	6.06'	6.38' x 1.63'	Nº50 5.83' x 3' Nº51 No Window	No Porch	1.57"	199.5 CU. FT.
				Nº52 - Nº53	4	5.9'		6.29'	6.06'	4.95' x 1.63'	Nº52 5.83' x 3' Nº53 No Window	No Porch	1.57"	154.3 CU. FT.
				Nº54 - Nº55	2	4.88'		6.29'	6.06'	3.94' x 1.63'	Nº54 5.83' x 3' Nº55 No Window	No Porch	1.57"	124.3 CU. FT.

IGNITE BARREL

	MODEL	OCCUPANCY	WINDOW	TOTAL LENGTH		OUTSIDE DIAMETER	INSIDE DIAMETER	BENCH L x W	WINDOW SIZE	PORCH LENGTH	WALL/BOARD THICKNESS	VOLUME
	Nº60	4	Window	7.33'		7.52'	7.25'	5' x 2.08'	7' x 3.5'	1.58'	1.57"	212 CU. FT.
	Nº62	6	Window	7.33'		7.52'	7.25'	6.5' x 2.08	7' x 3.5'	No Porch	1.57"	265 CU. FT.
	Nº52	4	Window	5.9'		6.29'	6.06'	4.95' x 1.63'	5.83' x 3'	No Porch	1.57"	154.3 CU. FT.
	Nº54	2	Window	4.88'		6.29'	6.06'	3.94' x 1.63'	5.83' x 3'	No Porch	1.57"	124.3 CU. FT.

SAUNA SQUARES

	MODEL	OCCUPANCY	TOTAL LENGTH		TOTAL WIDTH	TOTAL HEIGHT	BACK BENCH SIDE BENCH L x W	WINDOW SIZE	PORCH LENGTH	WALL/BOARD THICKNESS	VOLUME
	Nº40 - Nº41	6	8.24'		6.9'	7.21'	Back 6.5' x 1.61' Side 4.3' x 1.61'	Nº40 6.3' X 3.2' Nº41 No Window	1.61'	1.57"	241 CU. FT.
	Nº42 - Nº43	4	6.93'		6.9'	7.28'	Back 6.5' x 1.61' Side 2.9' x 1.61'	Nº42 6.3' X 3.2' Nº43 No Window	1.61'	1.57"	191 CU. FT.
	Nº45	1-2	4.63'		4.4'	7.28'	Back 3.9' x 1.67' Side 2.0' x 0.9'	No Window	No Porch	1.57"	98 CU. FT.



Natural Barrel Sauna No60
Photo: ThisLife, Bela Fishbeyn
Fairview, North Carolina


Ignite Barrel Sauna No62
Photo: Idyll Reserve
Hocking Hills, Ohio

No40 Sauna Square




Mod6 Modern - Athletic Benching
Pryes Brewing
Minneapolis, Minnesota

Luik Series - Kodiak Spruce

No62 Natural Barrel Sauna
Sauna House
Ashville, North Carolina


LUIK SERIES			MODEL	OCCUPANCY	WINDOW	TOTAL LENGTH		INTERIOR HEIGHT	TOTAL HEIGHT	BENCHES L x W	EXTERIOR	INTERIOR	WALL THICKNESS	VOLUME
			LUIK - BENCHMARK ASH	4-6	Front Window	7.34'		6.46'	7.96'	6.35' x 2.11'	Benchmark Ash 5/4x4 C72 (Oiled)	Thermo-Aspen	5.59"	260 CU. FT.
			LUIK - KODIAK SPRUCE	4-6	Front Window	7.34'		6.46'	7.96'	6.35' x 2.11'	Kodiak Spruce 5/4x7 C75 (Oiled)	Natural Alder & Benchmark Pine	5.59"	260 CU. FT.

MOD SERIES
POWERED BY SUPERIOR SAUNA

			MODEL	OCCUPANCY	WINDOW	TOTAL LENGTH		TOTAL WIDTH	TOTAL HEIGHT	EXTERIOR	INTERIOR	BENCH	CEILING	DOOR
			MOD6 MODERN - SOCIAL	6-8	Corner Windows	8.25'		6.25'	8.04'	Ignite Spruce 1 x 6 C24 Brushed	Thermo-Alder 1 x 4 STS4	Thermo-Alder 5/4x4 SHP	Thermo-Spruce 1 x 4 STS4 Brushed Black	- Thermo-Pine - Black Hardware - Clear Glass
			MOD6 MODERN - ATHLETIC	6-8	Side Windows	8.25'		6.25'	8.04'	Ignite Spruce 1 x 6 C24 Brushed	Thermo-Alder 1 x 4 STS4	Thermo-Alder 5/4x4 SHP	Thermo-Spruce 1 x 4 STS4 Brushed Black	- Thermo-Pine - Black Hardware - Clear Glass
			MOD6 TRADITIONAL - SOCIAL	6-8	Corner Windows	8.25'		6.25'	8.04'	Kodiak Spruce 1 x 8 C15	Thermo-Spruce 1 x 4 STS4	Thermo-Spruce 5/4x4 SHP	Thermo-Spruce 1 x 4 STS4 Brushed Black	- Thermo-Pine - Black Hardware - Clear Glass
			MOD6 TRADITIONAL - ATHLETIC	6-8	Side Windows	8.25'		6.25'	8.04'	Kodiak Spruce 1 x 8 C15	Thermo-Spruce 1 x 4 STS4	Thermo-Spruce 5/4x4 SHP	Thermo-Spruce 1 x 4 STS4 Brushed Black	- Thermo-Pine - Black Hardware - Clear Glass
			MOD4 MODERN - SOCIAL	4-6	Corner Windows	5.6'		6.5'	8.04'	Ignite Spruce 1 x 6 C24 Brushed	Thermo-Alder 1 x 4 STS4	Thermo-Alder 5/4x4 SHP	Thermo-Spruce 1 x 4 STS4 Brushed Black	- Thermo-Pine - Black Hardware - Clear Glass
			MOD4 TRADITIONAL - SOCIAL	4-6	Corner Windows	5.6'		6.5'	8.04'	Kodiak Spruce 1 x 8 C15	Thermo-Spruce 1 x 4 STS4	Thermo-Spruce 5/4x4 SHP	Thermo-Spruce 1 x 4 STS4 Brushed Black	- Thermo-Pine - Black Hardware - Clear Glass

* Optional Floorkit available for Mod6 Models.

SAUNA KIT ADD-ONS

			TYPE	APPLICABLE MODELS	MATERIAL	HEATER
			FULL PANORAMIC WINDOW	No61, No63, No51, No53, No55	Spruce Frame	Homecraft Revive
			TWO TIERED BENCH	No60, No61, No62, No63,	Thermo-Aspen	HUUM Drop Homecraft Revive Slim / Revive
			JUNIPER LOWER PANEL BARRELS	No60, No62, No50, No52, No54	Juniper	Standard Heater per Model
			JUNIPER UPPER PANEL BARRELS	No61, No63, No51, No53, No55	Juniper	Standard Heater per Model
			JUNIPER UPPER PANEL SQUARES	No41, No43, No45	Juniper	Standard Heater per Model

Discover how you can personalize your sauna with mix-and-match add-ons—just ask your salesperson.



SAUNA MATERIALS

SPECIES: USE:

- Natural Alder
- Natural Aspen
- Medium Alder
- Medium Aspen
- Medium Magnolia
- Intense Alder
- Intense Spruce
- Interior

Walls & Benches, Medium Aspen
Photo: Elvo Jakobson
Private Home, Estonia

SAUNA[®]
MATERIALS by THERMORY[®]

Wall Paneling

PRODUCT		SPECIES	DIMENSIONS	COVERAGE	LENGTHS	MODIFICATION STRENGTH	TEXTURE	INSTALLATION
	5/4 X 3 NATURAL ALDER STEP	Alder	1.06" x 2.5"	2.2"	6' – 10'	None	Smooth	Staple
	1 X 5 NATURAL ALDER STS4	Alder	.59" x 4.7"	4.4"	6' – 10'	None	Smooth	Staple
	1 X 4 NATURAL ALDER STS4	Alder	.59" x 3.5"	3.2"	6' – 10'	None	Smooth	Staple
	1 X 5 NATURAL ALDER STS4 BRUSHED & WAXED BLACK	Alder	.59" x 4.7"	4.4"	6' – 10'	None	Brushed	Staple
	1 X 5 NATURAL ASPEN STS4	Aspen	.59" x 4.7"	4.4"	6' – 10'	None	Smooth	Staple
	1 X 4 ALDER STS4	Alder	.59" x 3.5"	3.2"	6' – 10'	Medium	Smooth	Staple

PRODUCT		SPECIES	DIMENSIONS	COVERAGE	LENGTHS	MODIFICATION STRENGTH	TEXTURE	INSTALLATION
	1 X 5 ALDER STS4	Alder	.59" x 4.7"	4.4"	6' – 10'	Medium	Smooth	Staple
	5/4 X 3 ASPEN STEP	Aspen	1.06" x 2.5"	2.2"	6' – 10'	Medium	Smooth	Staple
	1 X 4 ASPEN STS4	Aspen	.59" x 3.5"	3.2"	6' – 10'	Medium	Smooth	Staple
	1 X 5 ASPEN STS4	Aspen	.59" x 4.7"	4.4"	6' – 10'	Medium	Smooth	Staple
	1 X 4 ASPEN KYTE	Aspen	.59" x 3.4"	3.1"	6' – 10'	Medium	Smooth	Staple
	1 X 4 ASPEN VIRE	Aspen	.59" x 3.5"	3.1"	6' – 10'	Medium	Smooth	Staple
	5/4 X 3 ASPEN WAVE	Aspen	1.1" x 2.6"	2.2"	6' – 10'	Medium	Smooth	Staple
	*SPECIAL ORDER* 1 X 4 ASPEN STF TILES	Aspen	.59" x 3.2"	3.0"	11.50" or 22.75"	Medium	Smooth	Staple
	*SPECIAL ORDER* 1 X 4 ASPEN SRP	Aspen	.59" x 3.1"	2.8"	6' – 10'	Medium	Smooth	Staple
	1 X 6 MAGNOLIA STS10	Magnolia	.56" x 5.7"	5.4"	6' – 10'	Medium	Smooth	Staple
	1 X 7 MAGNOLIA STS10	Magnolia	.56" x 6.7"	6.4"	6' – 10'	Medium	Smooth	Staple

PRODUCT		SPECIES	DIMENSIONS	COVERAGE	LENGTHS	MODIFICATION STRENGTH	TEXTURE	INSTALLATION
	1 X 4 ALDER STS4	Alder	.59" x 3.3"	3.0"	6' – 10'	Intense	Smooth	Staple
	1 X 5 ALDER STS4	Alder	.59" x 4.7"	4.4"	6' – 10'	Intense	Smooth	Staple
	1 X 4 SPRUCE STS4	Spruce	.59" x 3.5"	3.2"	6' – 10'	Intense	Smooth	Staple
	1 X 4 SPRUCE STS4 BRUSHED & WAXED	Spruce	.59" x 3.5"	3.2"	6' – 10'	Intense	Brushed	Staple

SAUNA[®]

MATERIALS by THERMORY[®]

Bench Boards

PRODUCT		SPECIES	DIMENSIONS	COVERAGE	LENGTHS	MODIFICATION STRENGTH	TEXTURE	INSTALLATION
	1 X 4 NATURAL ALDER SHP	Alder	.83" x 3.5"	3.5"	6' – 10'	None	Smooth	40mm FG Screws
	5/4 X 4 NATURAL ALDER SHP	Alder	1.1" x 3.5"	3.5"	6' – 10'	None	Smooth	40mm FG Screws
	5/4 X 4 NATURAL ASPEN SHP	Aspen	1.1" x 3.5"	3.5"	6' – 10'	None	Smooth	40mm FG Screws
	1 X 4 ALDER SHP	Alder	.83" x 3.5"	3.5"	6' – 10'	Medium	Smooth	40mm FG Screws
	5/4 X 4 ALDER SHP	Alder	1.1" x 3.5"	3.5"	6' – 10'	Medium	Smooth	40mm FG Screws
	1 X 4 ASPEN SHP	Aspen	.83" x 3.5"	3.5"	6' – 10'	Medium	Smooth	40mm FG Screws
	5/4 X 4 ASPEN SHP	Aspen	1.1" x 3.5"	3.5"	6' – 10'	Medium	Smooth	40mm FG Screws
	5/4 X 8 MAGNOLIA SHP	Magnolia	1.1" x 7.3"	7.3"	6' – 10'	Medium	Smooth	40mm FG Screws
	5/4 X 4 ALDER SHP	Alder	1.1" x 3.5"	3.5"	6' – 10'	Intense	Smooth	40mm FG Screws
	5/4 X 4 SPRUCE SHP	Spruce	1.01" x 3.5"	3.5"	6' – 10'	Intense	Smooth	40mm FG Screws



Walls, Bench, Ceiling: Intense Alder
Photo: Elvo Jakobson
Private Home, Estonia

READY-MADE ELEMENTS

SPECIES: USE:

Natural Alder Interior
Medium Aspen

Bench & Backrest: Alder
Photo: Allan Lepikson
Private Home, Estonia.

SAUNA^o
MATERIALS by THERMORY®

Sauna Elements

PRODUCT		SPECIES	THICKNESS / HEIGHT	WIDTH	LENGTH	MODIFICATION STRENGTH	TEXTURE	INSTALLATION
	NATURAL ALDER BENCH MODULE	Alder	Height - 5.5	19.7” - 23.6”	63” - 94.5”	None	Smooth	Screw
	ASPEN BENCH MODULE	Aspen	Height - 5.5	19.7” - 23.6”	63” - 94.5”	Medium	Smooth	Screw
	NATURAL ALDER CORNER BENCH MODULE	Alder	Height - 5.5	19.7” - 23.6”	19.7” - 23.6”	None	Smooth	Screw
	ASPEN CORNER BENCH MODULE	Aspen	Height - 5.5	19.7” - 23.6”	19.7” - 23.6”	Medium	Smooth	Screw
	NATURAL ALDER BACKREST	Alder	Thickness - 1.1	11.8”	80.7”	None	Smooth	Screw
	ASPEN BACKREST	Aspen	Thickness - 1.1	11.8”	80.7”	Medium	Smooth	Screw

PRODUCT		SPECIES	THICKNESS / HEIGHT	WIDTH	LENGTH	MODIFICATION STRENGTH	TEXTURE	INSTALLATION
	NATURAL ALDER BENCH SKIRT	Alder	Thickness - 0.55	11.8"	94.5"	None	Smooth	Screw
	ASPEN BENCH SKIRT	Alder	Thickness - 0.55	11.8"	94.5"	Medium	Smooth	Screw
	ASPEN FLOORGRID	Aspen	Thickness - 0.55	31.5"	35.4"	Medium	Smooth	Screw
	NATURAL ALDER ADJUSTABLE VENTILATION GRILLE	Alder	-	5.2"	11.1"	None	Smooth	Screw
	NATURAL ASPEN ADJUSTABLE VENTILATION GRILLE	Aspen	-	5.2"	11.1"	None	Smooth	Screw
	ASPEN ADJUSTABLE VENTILATION GRILLE	Aspen	-	5.2"	11.1"	Medium	Smooth	Screw
	NATURAL ALDER VENTILATION FIXED GRILLE	Alder	-	5.9"	7.5"	None	Smooth	Screw
	NATURAL ASPEN VENTILATION FIXED GRILLE	Aspen	-	5.9"	7.5"	None	Smooth	Screw
	ASPEN VENTILATION FIXED GRILLE	Aspen	-	5.9"	7.5"	Medium	Smooth	Screw
	ASPEN MOVEABLE BENCH	Aspen	Thickness - 0.55	15.7"	27.6"	Medium	Smooth	-
	ASPEN HEADREST	Aspen	Thickness - 3.8"	11"	13.2"	Medium	Smooth	-

Mouldings

PRODUCT		SPECIES	DIMENSIONS	COVERAGE	LENGTHS	MODIFICATION STRENGTH	TEXTURE	INSTALLATION
	1 X 1.5 NATURAL ALDER T	Alder	.67" x 1.26"	-	6' – 10'	None	Smooth	Nail
	1 X 1 NATURAL ALDER SI	Alder	.59" x .71"	-	6' – 10'	None	Smooth	Nail
	1 X 1 NATURAL ALDER SHP	Alder	.83" x .83"	-	6' – 10'	None	Smooth	Nail
	1 X 1.5 ASPEN T	Aspen	.67" x 1.26"	-	6' – 10'	Medium	Smooth	Nail
	1 X 1 ASPEN SI	Aspen	.59" x .71"	-	6' – 10'	Medium	Smooth	Nail
	1 X 1 ASPEN SHP	Aspen	.83" x .83"	-	6' – 10'	Medium	Smooth	Nail

SAUNA DOORS & WINDOWS

SPECIES:


Medium Aspen

USE:

Interior

Walls: Medium Aspen, Kyte
Benches: Medium Aspen

Sauna Doors & Windows

PRODUCT		SPECIES	USE	THICKNESS X WIDTH	HEIGHT	MODIFICATION STRENGTH	GLASS COLOR	HARDWARE
	ASPEN PREMIUM DOOR	Aspen	Interior Sauna	3.6" x 27.2"	74.4" - 78.3"	Medium	Clear	Silver
	ASPEN BLACK PREMIUM DOOR	Aspen	Interior Sauna	3.6" x 27.2"	74.4" - 78.3"	Medium	Gray	Black
	PINE PREMIUM DOOR	Pine	Exterior Interior Sauna	3.6" x 27.2"	74.4" - 78.3"	Intense	Gray	Black
	2 X 6 ASPEN BLACK WINDOW	Aspen	Interior Sauna	3.6" x 19.3"	74.4"	Medium	Gray	Screw
	2 X 3 ASPEN BLACK WINDOW	Aspen	Interior Sauna	3.6" x 19.3"	35.0"	Medium	Gray	Screw



HEATERS

ACCESSORIES & CARE PRODUCTS

MODEL		WATTAGE	DIMENSIONS W X D X H	OPTIMUM ROOM SIZE	BREAKER SIZE	SAUNA CONTROL	THERMORY COMPATIBLE MODELS	MOUNT
	HUUM DROP 4	4.5 Kw	15.35" x 13.2" x 23.3"	106 - 248 ft³	30 Amp	UKU Sauna Control Panel Classic - Wifi	No54, No55	Wall
	HUUM DROP 6	6 Kw		177 - 318 ft³			Mod4, No42, No43, No52, No53	
	HUUM DROP 7	7.5 Kw		248 - 389 ft³	40 Amp		No 60, No61, No50, No51	
	HUUM DROP 9	9 Kw		283 - 460 ft³	50 Amp		Mod6, No62, No63, Luik	
	HUUM HIVE MINI WITH AIRUNNEL	11 Kw	18.1" x 18.1" x 29.6"	354 - 566 ft³	50 Amp	UKU Sauna Control Panel Classic - Wifi	No40, No41	Floor
	STEEL 6	6 Kw	12.6" x 12.6" x 38.4"	177 - 318 ft³	30 Amp	UKU Sauna Control Panel Classic - Wifi	Mod4, No42, No43, No52, No53	Floor
	STEEL 9	9 Kw		283 - 460 ft³	50 Amp		Mod6, No62, No63, Luik	
	STEEL 11	11 Kw		354 - 566 ft³			No40, No41	
	HUUM CORE 9 Thermo-Aspen or Alder finish	9 Kw	15.16" x 15.16" x 32.7"	283 - 460 ft³	50 Amp	UKU Glass Sauna Control Panel - Wifi	Mod6, No62, No63, Luik	Floor
	HOMECRAFT REVIVE SLIM	5 Kw	13" x 7.5" x 36"	100 - 250 ft³	30 Amp	Tke2-2 Indoor/ Outdoor	No45, No54, No55	Wall
		6 Kw		200 - 300 ft³	40 Amp		Mod4, No42, No43, No50, No51, No52, No53, No60, No61	
	HOMECRAFT REVIVE	9 Kw	14" x 14" x 36"	325 - 450 ft³	50 Amp	Tke2-2 Indoor/ Outdoor	Mod6, No40, No41, No62, No63, Luik	Floor

PRODUCT	NAME	TYPE	USE
	HALU B.V. HEADREST	Natural Aspen	Sauna Headrest
	HALU B.V. BACKREST	Natural Aspen	Sauna Backrest
	HUUM SAUNA STONES	Olivine Diabase Rocks	HUUM Drop & Hive Mini Heaters
	ACCESORIES PACK	Bucket, Ladle, Sand Timer, Temperature Gauge	Adding Water, Temperature, Timing
	SUPI SAUNAVAHA SAUNA WAX	Clear Wax	Sauna Benches, Paneled Walls And Ceilings, Doors & Window Frames.
	SUPI SAUNAVAHA SAUNA WAX	Black Wax	Sauna Benches, Paneled Walls And Ceilings, Doors & Window Frames.
	SUPI SAUNAVAHA SAUNA CLEANER	Sauna Cleaning Detergent	For Saunas & Other Wet Rooms
	SAUNAPALLO SAUNABALL	Black Mat, Brushed Metal, Shiny Steel	Evenly distribute water onto rocks.

Heat. Steam. Cool. Done.

Thermal modification is a chemical-free process that gives you the beauty of real wood, naturally enhanced with only heat and steam for unequaled strength and stability—even in changing weather conditions. And, with greater insulating properties compared to unmodified wood, our wood is never too hot on your feet.

The right wood. The right way.

We source all our wood using responsible forestry practices, never laying a finger on our tropical woodlands and rainforests. And wood is the only naturally renewable building material that doesn't generate hazardous waste. So, when you choose Thermory, you're not just investing in quality, but in the health of our planet too.



The mark of
responsible forestry



Thermory USA - Buffalo

29 Liberty St, Suite 205
Batavia, NY 14020
585-591-6590

Support@ThermoryUSA.com
SaunaHelp@ThermoryUSA.com

Last updated: August 2026
All previous versions are null and void.

→ Sauna.ThermoryUSA.com

